DRIVEWAYS





















Installs like Sand, Sets like Cement™

DriBond was created to bond (1" or 30mm) thin pavers over existing concrete surfaces without removing existing concrete, which is a costly and time-consuming process. Ironically, if you remove the concrete, you're actually removing the best possible base for your pavers. DriBond is the first polymer modified bonding agent specifically developed for residential concrete driveways. It installs like sand and sets like cement in a fraction of the time it would take to install traditional pavers.

Customers now have that ability to transform an old, stained and cracked concrete driveway into a hardscape masterpiece within one to two days.

Over one million square feet of thin pavers have been installed over the past seven years utilizing the DriBond technology.

Updated technical data sheet and MSDS can be found on our website at www.pavertech.com.

PATENT PENDING
*based on sound substrate and proper installation

Specifications:

Bag Weight: 50lbs/22.7 kg

Bag Coverage Rate: Approx. 30 sq. feet (at depth of 3/8")

(at depth of 3/8")

ASTM C579, Compressive Strength:

5,850 psi

ASTM C666, Freeze Thaw Ratio: 94%

ASTM C308, Final Set-Time: 5:40

Maximum Depth: 1"
Maximum Variance: 5/8"

* Wait 24hrs for foot traffic and 48hrs for vehicular traffic.



888.767.4777

info@pavertech.com

www.pavertech.com

a: 4366 U.S. Highway 1

Vero Beach, FL 32967